

RATERMANN

MANUFACTURING, INC.

Your **ONE STOP** for All of Your Label Needs

Time to renew your labels. **Reorder NOW!**

OXYGEN, COMPRESSED
UN1072



DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment materials of construction and rated for cylinder pressure. Use only with equipment for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use. **DO NOT REMOVE THIS PRODUCT LABEL.**

CAS: 7782-44-7

YOUR LOGO HERE

www.company.com
1-800-000-1234
1234 Street Name, Houston, TX 77007



OXYGEN, COMPRESSED USP UN 1072



C.A.S. NO. 7782-44-7

YOUR LOGO HERE 1234 Street Name Houston, TX 77007
1-800-000-1234
www.company.com



Δ DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use. **DO NOT REMOVE THIS PRODUCT LABEL.**

Δ WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only.** Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

Size	Contents	Size	Contents
<input type="checkbox"/> M6	170 Liters	<input type="checkbox"/> E	682 Liters
<input type="checkbox"/> C	248 Liters	<input type="checkbox"/> H	6910 Liters
<input type="checkbox"/> D	415 Liters	<input type="checkbox"/> Other	_____ Liters

Sample of Medical Cylinder Side Body Label with company logo and company contact info.



Sample of a roll of 500 labels

Place Your Order Now.

Contact us **1-800-264-7793**
or email sales@rmimfg.com
with any questions and to discuss your GHS labeling requirements.



Cylinder Shoulder Label Imprint Order Form Work Sheet



OXYGEN, COMPRESSED
UN1072

OXYGEN 2 (R-K1)

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak, if safe to do so. Use a back flow preventive device in the piping. Use only with equipment materials of construction and rated for cylinder pressure. Use only with empty materials of construction and rated for cylinder pressure. Close valve after each use and when empty for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use.
CAS: 7782-44-7

WestAir

1-817-220-7291
200 E. 1st Street, Springtown, TX 76082
www.westairgases.com

DO NOT REMOVE THIS PRODUCT LABEL

List continues on next page

Customer Name: _____ Account #: _____ Phone #: _____

Contact: _____ Email: _____

Shoulder Labels	UN No.	Part No.	Check Labels Used	Exp. Used Annually	Next Need By Date	Rolls Needed
Acetylene, Dissolved	UN1001	GCS-ACT-D-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Acetylene, Dissolved - Small Size	UN1001	GCS-ACT-D-XXX-S-PK500	<input type="checkbox"/>	_____	_____	_____
Air, Compressed (Breathing Quality Grade D-E)	UN1002	GCS-AIRBQ-GDE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Air, Compressed (Breathing Quality Grade D)	UN1002	GCS-AIRBQ-GD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Air, Compressed (Breathing Quality Grade E)	UN1002	GCS-AIRBQ-GE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Air, Compressed Breathing Quality	UN1002	GCS-AIRBQ-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Air, Compressed (Dry Grade)	UN1002	GCS-AIRDG-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Air, Compressed Grade 0.1	UN1002	GCS-AIR-G0.1-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Air, Compressed Industrial Use Only - Not For Breathing	UN1002	GCS-AIRIND-NFB-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Air, Compressed (Not for Human Consumption)	UN1002	GCS-AIR-NFHC-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Air USP, Compressed	UN1002	GCS-AIRUSP-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Air, Compressed, Ultra Zero Grade Not For Human Consumption	UN1002	GCS-AIRUZG-NFHC-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Air, Compressed	UN1002	GCS-AIR-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Air, Compressed (Zero Grade Not for Human Consumption)	UN1002	GCS-AIRZG-NFHC-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Air, Compressed (Zero Grade)	UN1002	GCS-AIRZG-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Ammonia, Anhydrous, Oversize label	UN1005	GCS-AMMONIA-AN-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Flammable Anaerobic Gas Mixture	UN1954	GCS-ANGAS-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Argon, Compressed Grade 5.0	UN1006	GCS-AR-G5.0-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Argon, Compressed (High Purity)	UN1006	GCS-AR-HP-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Argon, Compressed (Pre-Purified)	UN1006	GCS-AR-PP-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Argon, Compressed (Ultra High Purity)	UN1006	GCS-AR-UHP-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Argon, Compressed	UN1006	GCS-AR-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Argon, Compressed (Zero Grade)	UN1006	GCS-ARZG-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Boron Trichloride	UN1741	GCS-BCI3-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
1-Butane	UN1011	GCS-BUTANE1-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
2-Butane, CIS	UN1011	GCS-BUTANE2-CIS-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
2-Butane, Trans	UN1011	GCS-BUTANE2-TR-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
2-Butane	UN1011	GCS-BUTANE2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Butane	UN1011	GCS-BUTANE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Carbon Monoxide, Compressed, 2 Diamond Label	UN1016	GCS-CARBONMONOX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Carbon Dioxide (Bone Dry)	UN1013	GCS-CD-BD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Carbon Dioxide Beverage Grade	UN1013	GCS-CD-BEV-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Carbon Dioxide (Coleman Grade)	UN1013	GCS-CD-CG-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Carbon Dioxide Food Grade & Beverage Grade	UN1013	GCS-CD-FGBEV-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Carbon Dioxide (Food Grade)	UN1013	GCS-CD-FG-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Carbon Dioxide Grade 4.5	UN1013	GCS-CD-G4.5-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Carbon Dioxide Siphon Tube	UN1013	GCS-CDSTB-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Carbon Dioxide Syphon Type, Net Cont. 50lbs	UN1013	GCS-CDST-N50-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Carbon Dioxide USP, Compressed	UN1013	GCS-CDUSP-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Carbon Dioxide, Compressed	UN1013	GCS-CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____

Shoulder Labels *continued from previous page*

	UN No.	Part No.	Check Labels Used	Exp. Used Annually	Next Need By Date	Rolls Needed
Flammable Compressed Gases NOS (Hydrogen, Nitrogen)	UN1954	GCS-CF-HYNI-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (50% Argon,50% Helium)	UN1956	GCS-CG50AR50HE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (50%Helium,50% Nitrogen)	UN1956	GCS-CG50HE50NI-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases (55%Helium,43%Argon,2% Co2)	UN1956	GCS-CG55HE43AR2CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases(55%Nitrogen,40%Helium,5% Co2)	UN1956	GCS-CG55NI40HE5CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (60% Argon,40% Helium)	UN1956	GCS-CG60AR40HE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (60% Co2, 40% Nitrogen)	UN1956	GCS-CG60CD40NI-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases (60%Helium,35%Nitrogen,5% Co2)	UN1956	GCS-CG60HE35NI5CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (60% Helium,40% Argon)	UN1956	GCS-CG60HE40AR-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (60% Nitrogen, 40% Co2)	UN1956	GCS-CG60NI40CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases (66.1%Argon,33%Helium,0.9% Co2)	UN1956	GCS-CG66.1AR33HE0.9CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases (66%Argon,33%Helium,1% Co2)	UN1956	GCS-CG66AR33HE1CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases (68%Argon,30%Helium,2% Co2)	UN1956	GCS-CG68AR30HE2CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases (69%Argon,30%Helium,1% Co2)	UN1956	GCS-CG69AR30HE1CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases (70%Argon,28%Co2,2%Oxygen)	UN1956	GCS-CG70AR28CD2OX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (70% Argon,30% Helium)	UN1956	GCS-CG70AR30HE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases (70%Helium,20%Argon,10% Co2)	UN1956	GCS-CG70HE20AR10CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases (70%Helium,25%Nitrogen,5% Co2)	UN1956	GCS-CG70HE25NI5CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases (70%Helium,30% Co2)	UN1956	GCS-CG70HE30CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases, NOS (70% Nitrogen, 30% Carbon Dioxide)	UN1956	GCS-CG70N30CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases (74.9%Helium,23.4%Nitrogen,1.7% Co2)	UN1956	GCS-CG74.9HE23.4NI1.7CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases (75%Argon,15%Co2,10%Helium)	UN1956	GCS-CG75AR15CD10HE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (75% Argon, 25% Co2)	UN1956	GCS-CG75AR25CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (75% Argon,25% Helium)	UN1956	GCS-CG75AR25HE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (75% Co2, 25% Argon)	UN1956	GCS-CG75CO225AR-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (75% Helium,25% Argon)	UN1956	GCS-CG75HE25AR-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (75% Nitrogen, 25% Co2)	UN1956	GCS-CG75NI25CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (78% Air,22% Helium)	UN1956	GCS-CG78AIR22HE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases (78%Argon,18%Helium,4% Co2)	UN1956	GCS-CG78AR18HE4CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases (79%Argon,20%Helium,1% Co2)	UN1956	GCS-CG79AR20HE1CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (80% Argon,20% Co2)	UN1956	GCS-CG80AR20CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (80% Argon,20% Helium)	UN1956	GCS-CG80AR20HE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (80% Nitrogen, 20% Co2)	UN1956	GCS-CG80NI20CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases (81%Argon,18%Helium,1% Co2)	UN1956	GCS-CG81AR18HE1CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases (81%Helium,15.6%Nitrogen,3.4% Co2)	UN1956	GCS-CG81HE15.6NI3.4CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases (82%Argon,15%Co2,3%Oxygen)	UN1956	GCS-CG82AR15CD3OX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (82% Argon, 18% Co2)	UN1956	GCS-CG82AR18CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (85% Argon, 15% Co2)	UN1956	GCS-CG85AR15CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (85% Argon,15% Helium)	UN1956	GCS-CG85AR15HE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (85%Nitrogen,5%Hydrogen,10%Co2)	UN1956	GCS-CG85NI5HY10CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (86% Argon, 12% Co2, 2% Oxygen)	UN1956	GCS-CG86AR12CD2OX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (90% Argon,10% CarbonDioxide)	UN1956	GCS-CG90AR10CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (90% Argon,10% Helium)	UN1956	GCS-CG90AR10HE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases, NOS (90%Argon,10%Methane) P-10 Mixture	UN1956	GCS-CG90AR10M-P10-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (90%Argon,10%Methane) Ultra P-10	UN1956	GCS-CG90AR10M-UP10-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases (90%Argon,5%Co2,3%Helium,2%Oxygen)	UN1956	GCS-CG90AR5CD3HE2OX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (90% Argon, 8% Co2, 2% Oxygen)	UN1956	GCS-CG90AR8CD2OX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases (90%Helium,7.5%Argon,2.5% Co2)	UN1956	GCS-CG90HE7.5AR2.5CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases (90%Helium,7.5%Argon,2.5% Oxygen)	UN1956	GCS-CG90HE7.5AR2.5OX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (90%Nitrogen,5%Hydrogen,5%Co2)	UN1956	GCS-CG90NI5HY5CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (91% Argon, 4% Co2, 5% Oxygen)	UN1956	GCS-CG91AR4CD5OX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (91% Argon, 5% Co2, 4% Oxygen)	UN1956	GCS-CG91AR5CD4OX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (91%Nitrogen,4%Hydrogen,5%Co2)	UN1956	GCS-CG91NI4HY5CD-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (92% Argon, 8% Co2)	UN1956	GCS-CG92AR8CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (92% Argon, 8% Oxygen)	UN1956	GCS-CG92AR8OX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (95% Argon, 5% Co2)	UN1956	GCS-CG95AR5CO2-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (95% Argon,5% Helium)	UN1956	GCS-CG95AR5HE-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (95% Argon, 5% Methane) P-5 Mixture	UN1956	GCS-CG95AR5M-P5-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (95% Argon, 5% Oxygen)	UN1956	GCS-CG95AR5OX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (95% Helium,5% Argon)	UN1956	GCS-CG95HE5AR-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (95% Nitrogen, 5% Hydrogen)	UN1956	GCS-CG95NI5HY-XXX-PK500	<input type="checkbox"/>	_____	_____	_____
Compressed Gases NOS (96%Argon,3%Co2,1%Oxygen)	UN1956	GCS-CG96AR3CD1OX-XXX-PK500	<input type="checkbox"/>	_____	_____	_____

NI: 3/13/16

Shoulder Labels *continued from page 3*

	UN No.	Part No.	Check Labels Used	Exp. Used Annually	Next Need By Date	Rolls Needed
Compressed Gases NOS (97%Argon,2%Oxygen,1% Co2)	UN1956	GCS-CG97AR20X1CD-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (97% Argon,3% Co2)	UN1956	GCS-CG97AR3CO2-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (98% Argon,2% Co2)	UN1956	GCS-CG98AR2CO2-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (98% Argon, 2% Hydrogen)	UN1956	GCS-CG98AR2HY-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (98% Argon, 2% Oxygen)	UN1956	GCS-CG98AR2OX-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (98% Nitrogen, 2% Hydrogen)	UN1956	GCS-CG98NI2HY-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (99% Argon, 1% Hydrogen)	UN1956	GCS-CG99AR1HY-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (% Air USP, % Co2 USP)	UN1956	GCS-CG-AIRU.CDU-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (% Argon, % Co2)	UN1956	GCS-CG-AR.CD-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (% Argon,%Nitrogen)	UN1956	GCS-CG-AR.NI-XXX-PK500	<input type="checkbox"/>			
Compress Gas Beverage Grade (75%Nitrogen,25% Co2)	UN1956	GCS-CGBEV75NI25CO2-XXX-PK500	<input type="checkbox"/>			
Beer Gas, Compressed Gases NOS (60% Co2, 40% Nitrogen)	UN1956	GCS-CG-BG60CD40NI-XXX-PK500	<input type="checkbox"/>			
Beer Gas Compressed Gases NOS (75% Nitrogen, 25%Co2)	UN1956	GCS-CG-BG75NI25CD-XXX-PK500	<input type="checkbox"/>			
Beer Gas Food Grade (60%Co2,40%Nitrogen)	UN1956	GCS-CG-BGFG60CD40NI-XXX-PK500	<input type="checkbox"/>			
Flammable Compressed Gases NOS (60% Helium, 40% Hydrogen)	UN1954	GCS-CGF60HE40HY-XXX-PK500	<input type="checkbox"/>			
Flammable Compressed Gases NOS (65% Argon,35% Hydrogen)	UN1954	GCS-CGF65AR35HY-XXX-PK500	<input type="checkbox"/>			
Flammable Compressed Gases NOS (75%Hydrogen,25%Nitrogen)	UN1954	GCS-CGF75HY25NI-XXX-PK500	<input type="checkbox"/>			
Flammable Compressed Gases NOS (85% Argon,15% Hydrogen)	UN1954	GCS-CGF85AR15HY-XXX-PK500	<input type="checkbox"/>			
Flammable Compressed Gases NOS (90% Argon,10% Hydrogen)	UN1954	GCS-CGF90AR10HY-XXX-PK500	<input type="checkbox"/>			
Flammable Compressed Gases NOS (90%Nitrogen,10% Hydrogen)	UN1954	GCS-CGF90NI10HY-XXX-PK500	<input type="checkbox"/>			
Flammable Compressed Gases NOS (92.5%Nitrogen,7.5% Hydrogen)	UN1954	GCS-CGF92.5NI7.5HY-XXX-PK500	<input type="checkbox"/>			
Flammable Compressed Gases NOS (95% Argon, 5% Hydrogen)	UN1954	GCS-CGF95AR5HY-XXX-PK500	<input type="checkbox"/>			
Flammable Compressed Gases NOS (96% Argon, 4% Hydrogen)	UN1954	GCS-CGF96AR4HY-XXX-PK500	<input type="checkbox"/>			
Flammable Compressed Gases (LiqPetroleumGas,LiqHydrocarbons)	UN1954	GCS-CGF-LPG.LHYC-XXX-PK500	<input type="checkbox"/>			
Flammable Compressed Gases NOS (2 blank Lines)	UN1954	GCS-CGF-NOS2BL-XXX-PK500	<input type="checkbox"/>			
Flammable Compressed Gases NOS (3 blank Lines)	UN1954	GCS-CGF-NOS3BL-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (% Helium,% Argon,% Carbon Dioxide)	UN1956	GCS-CG-HE.AR.CD-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (%Helium,%Argon)	UN1956	GCS-CG-HE.AR-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (% Nitrogen % Oxygen)	UN1956	GCS-CG-N.OX-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (% Nitrogen, % Co2)	UN1956	GCS-CG-NI.CD-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (2 Blank Lines)	UN1956	GCS-CGNOS2BL-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (3 Blank Lines) O2 LessThan 19.5%	UN1956	GCS-CGNOS3BL-19.5-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS Rx Only (3 Blank Lines)	UN1956	GCS-CGNOS3BL-RX-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (3 Blank Lines)	UN1956	GCS-CGNOS3BL-XXX-PK500	<input type="checkbox"/>			
Compressed Gas Oxidizing (60%HeliumUPS 40% Oxygen USP)	UN3156	GCS-CGO60HEU40OXU-XXX-PK500	<input type="checkbox"/>			
Compressed Gas Oxidizing (80% Oxygen,20% Co2)	UN3156	GCS-CGO80OX20CD-XXX-PK500	<input type="checkbox"/>			
Compressed Gases Oxidizing NOS (3 Blank Lines)Over 23.5% O2 cont	UN3156	GCS-CGOXID3BL-23.5-XXX-PK500	<input type="checkbox"/>			
Compressed Gas Oxidizing NOS (3Blank) Rx Only	UN3156	GCS-CGOXID3BL-RX-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (%OXUSP, %Co2USP%NNF)	UN1956	GCS-CG-OXYU.CDU.NNF-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (%OxygenUSP, %HeliumUSP)	UN1956	GCS-CG-OXYU.HEU-XXX-PK500	<input type="checkbox"/>			
Compressed Gas Stout Mix (60%Co2,40% Nitrogen)	UN1956	GCS-CGSM60CD40NI-XXX-PK500	<input type="checkbox"/>			
Compressed Gas Stout Mix (75% Nitrogen, 25% Co2)	UN1956	GCS-CGSM75NI25CO2-XXX-PK500	<input type="checkbox"/>			
Compressed Gas Stout Mix Food Grade (75%Nitrogen,25% Co2)	UN1956	GCS-CGSMFG75NI25CO2-XXX-PK500	<input type="checkbox"/>			
Chlorodifluoromethane & Chloropentafluoroethane Mix, R-502	UN1973	GCS-CHCHP-R502-XXX-PK500	<input type="checkbox"/>			
Chlorodifluoromethane	UN3163	GCS-CHCLF2-XXX-PK500	<input type="checkbox"/>			
Chlorodifluoromethane R-22	UN1018	GCS-CH-R22-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (Argon,Co2,Helium)	UN1956	GCS-CN-ARCDHE-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (Argon,Co2,Oxygen)	UN1956	GCS-CN-ARCDOX-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (Argon,Co2)	UN1956	GCS-CN-ARCD-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (Argon,Helium)	UN1956	GCS-CN-ARHE-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (Argon,Hydrogen)	UN1956	GCS-CN-ARHY-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (Argon,Nitrogen)	UN1956	GCS-CN-ARNI-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (Argon,Oxygen)	UN1956	GCS-CN-AROX-XXX-PK500	<input type="checkbox"/>			
Flammable Compressed Gas (Hydrogen,Argon)	UN1954	GCS-CNF-HYAR-XXX-PK500	<input type="checkbox"/>			
Flammable Compressed Gases (Hydrogen,Nitrogen)	UN1954	GCS-CNF-HYNI-XXX-PK500	<input type="checkbox"/>			
Natural Gas, Compressed	UN1971	GCS-CNG-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (Helium,Argon,Carbon Dioxide)	UN1956	GCS-CN-HEARCD-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (Helium,Argon)	UN1956	GCS-CN-HEAR-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (Helium,Nitrogen)	UN1956	GCS-CN-HENI-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (Nitrogen,Argon)	UN1956	GCS-CN-NIAR-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (Nitrogen,Co2,Helium,Argon)	UN1956	GCS-CN-NICDHEAR-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (Nitrogen,Co2)	UN1956	GCS-CN-NICD-XXX-PK500	<input type="checkbox"/>			

Shoulder Labels *continued from previous page*


	UN No.	Part No.	Check Labels Used	Exp. Used Annually	Next Need By Date	Rolls Needed
Compressed Gases NOS (Nitrogen,Helium,Argon)	UN1956	GCS-CN-NIHEAR-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (Nitrogen,Hydrogen)	UN1956	GCS-CN-NIHY-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS (Nitrogen,Oxygen)	UN1956	GCS-CN-NIOX-XXX-PK500	<input type="checkbox"/>			
Compressed Gas Oxidizer (Oxygen,CO2)	UN3156	GCS-CNO-OXCD-XXX-PK500	<input type="checkbox"/>			
Compressed Gas Oxidizer (Nitrogen,Oxygen)	UN3156	GCS-CNO-OXNI-XXX-PK500	<input type="checkbox"/>			
Compressed Gases NOS Stargon (Argon,Co2,Oxygen)	UN1956	GCS-CNST-ARCDOX-XXX-PK500	<input type="checkbox"/>			
Dichlorodifluoromethane, R-12	UN1028	GCS-DI-R12-XXX-PK500	<input type="checkbox"/>			
Ethane, Compressed	UN1035	GCS-ETHANE-XXX-PK500	<input type="checkbox"/>			
Ethylene, Compressed	UN1962	GCS-ETHYLENE-XXX-PK500	<input type="checkbox"/>			
Flammable Compressed Gases NOS (% Hydrogen % Argon)	UN1954	GCS-FLAM-HY.AR-XXX-PK500	<input type="checkbox"/>			
Helium, Compressed (Balloon Grade)	UN1046	GCS-HEBG-XXX-PK500	<input type="checkbox"/>			
Helium, Compressed Grade 5.0	UN1046	GCS-HE-G5.0-XXX-PK500	<input type="checkbox"/>			
Helium, Compressed (High Purity)	UN1046	GCS-HE-HP-XXX-PK500	<input type="checkbox"/>			
Helium UHP, Compressed	UN1046	GCS-HEUHP-XXX-PK500	<input type="checkbox"/>			
Helium USP, Compressed	UN1046	GCS-HE-USP-XXX-PK500	<input type="checkbox"/>			
Helium, Compressed	UN1046	GCS-HE-XXX-PK500	<input type="checkbox"/>			
Helium, Compressed (Zero Grade)	UN1046	GCS-HEZG-XXX-PK500	<input type="checkbox"/>			
1,1,1,3,3,3 Hexafluoropropane HFC-236FA	UN3163	GCS-HFC-236FA-XXX-PK500	<input type="checkbox"/>			
Hydrogen Chloride, 2 Diamond Label	UN1050	GCS-HYDROGEN-CH-XXX-PK500	<input type="checkbox"/>			
Hydrogen, Compressed (High Purity)	UN1049	GCS-HYDROGEN-HP-XXX-PK500	<input type="checkbox"/>			
Hydrogen, Compressed (Pre-Purified)	UN1049	GCS-HYDROGEN-PP-XXX-PK500	<input type="checkbox"/>			
Hydrogen, Compressed (Ultra High Purity)	UN1049	GCS-HYDROGEN-UHP-XXX-PK500	<input type="checkbox"/>			
Hydrogen, Compressed	UN1049	GCS-HYDROGEN-XXX-PK500	<input type="checkbox"/>			
Hydrogen, Compressed (Zero Grade)	UN1049	GCS-HYDROGEN-ZG-XXX-PK500	<input type="checkbox"/>			
Isobutane, Compressed	UN1969	GCS-ISOBUTANE-XXX-PK500	<input type="checkbox"/>			
Isobutylene, Compressed	UN1955	GCS-ISOBUTYLENE-XXX-PK500	<input type="checkbox"/>			
Liquid Gas (LiqPetroleumGas, Liq Hydrocarbons)	UN3161	GCS-LG-LPG.LHYC-XXX-PK500	<input type="checkbox"/>			
Liquefied Petroleum Gas Chemtane2	UN1075	GCS-LIQPETROLEUM-C2-XXX-PK500	<input type="checkbox"/>			
Liquefied Petroleum Gas Chem-O-Lene	UN1075	GCS-LIQPETROLEUM-CH-XXX-PK500	<input type="checkbox"/>			
Liquefied Petroleum Gas	UN1075	GCS-LIQPETROLEUM-XXX-PK500	<input type="checkbox"/>			
Methylacetylene & Propadiene Mixtures, Stabilized	UN1075	GCS-METHACT-PROPAMX-XXX-PK500	<input type="checkbox"/>			
Methane	UN1971	GCS-METHANE-XXX-PK500	<input type="checkbox"/>			
Methyl Chloride RQ	UN1063	GCS-METHYLCH-RQ-XXX-PK500	<input type="checkbox"/>			
Nitrous Oxide Sulfur Dioxide Racing	UN3156	GCS-N2OSO2-R-XXX-PK500	<input type="checkbox"/>			
Nitrous Oxide USP	UN1070	GCS-N2OUSP-XXX-PK500	<input type="checkbox"/>			
Nitrogen, Compressed Beverage Grade	UN1066	GCS-N-BEV-XXX-PK500	<input type="checkbox"/>			
Nitrogen, Food Grade	UN1066	GCS-N-FG-XXX-PK500	<input type="checkbox"/>			
Nitrogen, Compressed (High Purity)	UN1066	GCS-N-HP-XXX-PK500	<input type="checkbox"/>			
Nitrogen NNF, Compressed	UN1066	GCS-NNF-XXX-PK500	<input type="checkbox"/>			
Nitrous Oxide, Food Grade	UN1070	GCS-NO2-FG-XXX-PK500	<input type="checkbox"/>			
Nitrous Oxide, 2 Diamond Label	UN1070	GCS-NO2-XXX-PK500	<input type="checkbox"/>			
Nitrogen, Compressed (Pre-Purified)	UN1066	GCS-N-PP-XXX-PK500	<input type="checkbox"/>			
Nitrogen, Compressed Ultra High Purity	UN1066	GCS-N-UHP-XXX-PK500	<input type="checkbox"/>			
Nitrogen, Compressed	UN1066	GCS-N-XXX-PK500	<input type="checkbox"/>			
Nitrogen, Compressed (Zero Grade)	UN1066	GCS-NZG-XXX-PK500	<input type="checkbox"/>			
Oxygen Compressed Aviators Breathing	UN1072	GCS-OXYAB-XXX-PK500	<input type="checkbox"/>			
Oxygen, Compressed (Extra Dry Grade)	UN1072	GCS-OXYEDG-XXX-PK500	<input type="checkbox"/>			
Oxygen, Compressed, Food Grade	UN1072	GCS-OXY-FG-XXX-PK500	<input type="checkbox"/>			
Oxygen USP, Compressed	UN1072	GCS-OXYUSP-XXX-PK500	<input type="checkbox"/>			
Oxygen, Compressed	UN1072	GCS-OXY-XXX-PK500	<input type="checkbox"/>			
Pentanes, Flammable Liquid	UN1265	GCS-PENTANESFL-XXX-PK500	<input type="checkbox"/>			
Petroleum Gases, Liquefied (High Purity Gas)	UN1075	GCS-PETROLEUMHPG-XXX-PK500	<input type="checkbox"/>			
Petroleum Gases, Liquefied	UN1075	GCS-PETROLEUMLIQ-XXX-PK500	<input type="checkbox"/>			
Petroleum Gases, Liquefied (w/Methylacetylene&Propadiene)	UN1075	GCS-PETROLEUMMP-XXX-PK500	<input type="checkbox"/>			
Pentafluoroethane and 1,1,1 Trifluoroethane R-507	UN3163	GCS-PFTF-R507-XXX-PK500	<input type="checkbox"/>			
Propane	UN1075	GCS-PROPANE1075-XXX-PK500	<input type="checkbox"/>			
Propane	UN1978	GCS-PROPANE1978-XXX-PK500	<input type="checkbox"/>			
Propylene	UN1077	GCS-PROPYLENE-XXX-PK500	<input type="checkbox"/>			
R227 Heptafluoropropane	UN3296	GCS-R227-XXX-PK500	<input type="checkbox"/>			
Sulfur Hexafluoride, Compressed	UN1080	GCS-SH-XXX-PK500	<input type="checkbox"/>			
Sulfur Dioxide, 2 Diamond Label	UN1079	GCS-SO2-XXX-PK500	<input type="checkbox"/>			
1,1,1,2 Tetrafluoroethane R-134A	UN3159	GCS-TE-R134A-XXX-PK500	<input type="checkbox"/>			
Toluene, Flammable Liquid	UN1294	GCS-TOLUENEFLL-XXX-PK500	<input type="checkbox"/>			

NI: 3/13/16

Cylinder Shoulder Labels Custom Imprint Order Form

Example of Standard (A) Layout Style

Example of (B) Layout Style without logo



(A) Is our Standard Layout Style. We will layout your labels with this format unless told otherwise.



(B) Style is without logos.



1 Company Information

Company Name: **Required**


Address: **Required – Street Number and Name, City, State and Zip Code* ****

Phone: **Required**

Web Address: (optional)

Tag line or Slogan: (optional)

Style (A) is Our Standard Layout Style. For another Style (B), use Grid to Draw in Layout & Proportions.



* not to scale

2 Optional Logo

Logo for Label All logo label orders will be processed after sending a camera-ready proof to approve.

List PMS Color(s) Used

1 PMS Color # _____


2 PMS Color # _____

3 PMS Color # _____

Send Us Your Art Work to: image@rmimfg.com

Format for Logo – Tiff Format Logo Colors – Pantone Colors

On complex graphic artwork, a Vector file (artwork created in Adobe Illustrator, Corel Draw) is ideal for complex color logos. Please include pantone colors.



Location of Logo on Label

3 Approval for Printing

Ratermann Manufacturing, Inc. or any of its representatives will not be liable or responsible for any regulatory information or content.

It is the customers responsibility to check with the State and/or Federal agency in their area concerning regulatory information.

Approving data content. Do not need an exact art work layout. Please proceed in printing.

Please review carefully all custom printed production specifications as they are not returnable for refund or credit.

Signature _____

Date _____

Not approved to print. Please send art layout for approval.

(Choose this for all orders that involve logos.)

Signature _____

Date _____


* Complete address is a requirement for Industrial and Specialty Gases (per CGA C-7-2014, Section 7.1 OSHA's Hazard Communication Standard).

**Medical Gases – The FDA requires City, State and Zip Code, but allows the street address to be omitted, as long as the company can be located in a city or telephone directory on medical gases. For medical gas labels, our customers have the option of including their full address or just the City, State and Zip Code and this decision is solely at their discretion. (Per FDA CFR Title 21, Sec. 201.1 (i))

© 1999-2015 Ratermann Manufacturing, Inc. All Rights Reserved.

Non-Flammable Cylinder Shoulder Labels

Custom Imprint Shoulder Roll Labels



Standard Size of
Cylinder Label
5 7/8" x 2"

We also Offer the Small Size Cylinder Shoulder Labels for 10, 20, 30 and 40 cubic foot cylinders.

Call 800-264-7793 to place your order.

Custom Print Part No.	Non-Flammable Shoulder Labels	UN No.
GCS-CG-AIRU.CDU-XXX-PK500	Compressed Gases NOS (% Air USP, % Co2 USP)	UN1956
GCS-CG-AR.CD-XXX-PK500	Compressed Gases NOS (% Argon, % Co2)	UN1956
GCS-CG-AR.NI-XXX-PK500	Compressed Gases NOS (% Argon,%Nitrogen)	UN1956
GCS-CG-BG60CD40NI-XXX-PK500	Beer Gas, Compressed Gases NOS (60% Co2, 40% Nitrogen)	UN1956
GCS-CG-BG75NI25CD-XXX-PK500	Beer Gas Compressed Gases NOS (75% Nitrogen, 25%Co2)	UN1956
GCS-CG-BGFG60CD40NI-XXX-PK500	Beer Gas Food Grade (60%Co2,40%Nitrogen)	UN1956
GCS-CG-HE.AR-XXX-PK500	Compressed Gases NOS (%Helium,%Argon)	UN1956
GCS-CG-HE.AR.CD-XXX-PK500	Compressed Gases NOS (% Helium,% Argon,% Carbon Dioxide)	UN1956
GCS-CG-N.OX-XXX-PK500	Compressed Gases NOS (% Nitrogen % Oxygen)	UN1956
GCS-CG-NI.CD-XXX-PK500	Compressed Gases NOS (% Nitrogen, % Co2)	UN1956
GCS-CG-OXYU.CDU.NNF-XXX-PK500	Compressed Gases NOS (%OXUSP, %Co2USP%NNF)	UN1956
GCS-CG-OXYU.HEU-XXX-PK500	Compressed Gases NOS (%OxygenUSP, %HeliumUSP)	UN1956
GCS-CG50AR50HE-XXX-PK500	Compressed Gases NOS (50% Argon,50% Helium)	UN1956
GCS-CG50HE50NI-XXX-PK500	Compressed Gases NOS (50%Helium,50% Nitrogen)	UN1956
GCS-CG55HE43AR2CD-XXX-PK500	Compressed Gases (55%Helium,43%Argon,2% Co2)	UN1956
GCS-CG55NI40HE5CD-XXX-PK500	Compressed Gases(55%Nitrogen,40%Helium,5% Co2)	UN1956
GCS-CG60AR40HE-XXX-PK500	Compressed Gases NOS (60% Argon,40% Helium)	UN1956
GCS-CG60CD40NI-XXX-PK500	Compressed Gases NOS (60% Co2, 40% Nitrogen)	UN1956
GCS-CG60HE35NI5CD-XXX-PK500	Compressed Gases (60%Helium,35%Nitrogen,5% Co2)	UN1956
GCS-CG60HE40AR-XXX-PK500	Compressed Gases NOS (60% Helium,40% Argon)	UN1956
GCS-CG60NI40CO2-XXX-PK500	Compressed Gases NOS (60% Nitrogen, 40% Co2)	UN1956
GCS-CG66.1AR33HE0.9CD-XXX-PK500	Compressed Gases (66.1%Argon,33%Helium,0.9% Co2)	UN1956
GCS-CG66AR33HE1CD-XXX-PK500	Compressed Gases (66%Argon,33%Helium,1% Co2)	UN1956
GCS-CG68AR30HE2CD-XXX-PK500	Compressed Gases (68%Argon,30%Helium,2% Co2)	UN1956
GCS-CG69AR30HE1CD-XXX-PK500	Compressed Gases (69%Argon,30%Helium,1% Co2)	UN1956
GCS-CG70AR28CD2OX-XXX-PK500	Compressed Gases (70%Argon,28%Co2,2%Oxygen)	UN1956
GCS-CG70AR30HE-XXX-PK500	Compressed Gases NOS (70% Argon,30% Helium)	UN1956
GCS-CG70HE20AR10CD-XXX-PK500	Compressed Gases (70%Helium,20%Argon,10% Co2)	UN1956
GCS-CG70HE25NI5CD-XXX-PK500	Compressed Gases (70%Helium,25%Nitrogen,5% Co2)	UN1956
GCS-CG70HE30CD-XXX-PK500	Compressed Gases (70%Helium,30% Co2)	UN1956
GCS-CG70N30CD-XXX-PK500	Compressed Gases, NOS (70% Nitrogen, 30% Carbon Dioxide)	UN1956
GCS-CG74.9HE23.4NI1.7CD-XXX-PK500	Compressed Gases (74.9%Helium,23.4%Nitrogen,1.7% Co2)	UN1956
GCS-CG75AR15CD10HE-XXX-PK500	Compressed Gases (75%Argon,15%Co2,10%Helium)	UN1956
GCS-CG75AR25CO2-XXX-PK500	Compressed Gases NOS (75% Argon, 25% Co2)	UN1956
GCS-CG75AR25HE-XXX-PK500	Compressed Gases NOS (75% Argon,25% Helium)	UN1956
GCS-CG75CO225AR-XXX-PK500	Compressed Gases NOS (75% Co2, 25% Argon)	UN1956
GCS-CG75HE25AR-XXX-PK500	Compressed Gases NOS (75% Helium,25% Argon)	UN1956
GCS-CG75NI25CO2-XXX-PK500	Compressed Gases NOS (75% Nitrogen, 25% Co2)	UN1956
GCS-CG78AIR22HE-XXX-PK500	Compressed Gases NOS (78% Air,22% Helium)	UN1956
GCS-CG78AR18HE4CD-XXX-PK500	Compressed Gases (78%Argon,18%Helium,4% Co2)	UN1956
GCS-CG79AR20HE1CD-XXX-PK500	Compressed Gases (79%Argon,20%Helium,1% Co2)	UN1956
GCS-CG80AR20CO2-XXX-PK500	Compressed Gases NOS (80% Argon,20% Co2)	UN1956
GCS-CG80AR20HE-XXX-PK500	Compressed Gases NOS (80% Argon,20% Helium)	UN1956
GCS-CG80NI20CO2-XXX-PK500	Compressed Gases NOS (80% Nitrogen, 20% Co2)	UN1956
GCS-CG81AR18HE1CD-XXX-PK500	Compressed Gases (81%Argon,18%Helium,1% Co2)	UN1956
GCS-CG81HE15.6NI3.4CD-XXX-PK500	Compressed Gases (81%Helium,15.6%Nitrogen,3.4% Co2)	UN1956

Non-Flammable List continues on next page

Cylinder Label Accessories

Label Adhesive Remover

Outstanding results for removing cylinder label adhesives!



Biodegradable, 100% Organic, Non-Toxic
No Residual After Surface Dries
Flash Point 162° F (71° C)



Label Adhesive Remover

Part #	Description
LR-ACS-1QT	1 Quart with trigger spray
LR-ACS-1GAL	1 Gallon
LR-ACS-5GAL	5 Gallon

Rev: 4/3/18, 1/26/18, 1/25/17, N: 3/13/16

Non-Flammable Cylinder Shoulder Labels

Custom Imprint Shoulder Roll Labels

Non-Flammable Cylinder Shoulder Labels *continued from previous page*

Custom Print Part No.	Non-Flammable Shoulder Labels	UN No.
GCS-CG82AR15CD30X-XXX-PK500	Compressed Gases (82%Argon,15%Co2,3%Oxygen)	UN1956
GCS-CG82AR18CO2-XXX-PK500	Compressed Gases NOS (82% Argon, 18% Co2)	UN1956
GCS-CG85AR15CO2-XXX-PK500	Compressed Gases NOS (85% Argon, 15% Co2)	UN1956
GCS-CG85AR15HE-XXX-PK500	Compressed Gases NOS (85% Argon,15% Helium)	UN1956
GCS-CG85NI5HY10CD-XXX-PK500	Compressed Gases NOS (85%Nitrogen,5%Hydrogen,10%Co2)	UN1956
GCS-CG86AR12CD20X-XXX-PK500	Compressed Gases NOS (86% Argon, 12% Co2, 2% Oxygen)	UN1956
GCS-CG90AR10CO2-XXX-PK500	Compressed Gases NOS (90% Argon,10% CarbonDioxide)	UN1956
GCS-CG90AR10HE-XXX-PK500	Compressed Gases NOS (90% Argon,10% Helium)	UN1956
GCS-CG90AR10M-P10-XXX-PK500	Compressed Gases, NOS (90%Argon,10%Methane) P-10 Mixture	UN1956
GCS-CG90AR10M-UP10-XXX-PK500	Compressed Gases NOS (90%Argon,10%Methane) Ultra P-10	UN1956
GCS-CG90AR5CD3HE20X-XXX-PK500	Compressed Gases (90%Argon,5%Co2,3%Helium,2%Oxygen)	UN1956
GCS-CG90AR8CD20X-XXX-PK500	Compressed Gases NOS (90% Argon, 8% Co2, 2% Oxygen)	UN1956
GCS-CG90HE7.5AR2.5CD-XXX-PK500	Compressed Gases (90%Helium,7.5%Argon,2.5% Co2)	UN1956
GCS-CG90HE7.5AR2.5OX-XXX-PK500	Compressed Gases (90%Helium,7.5%Argon,2.5% Oxygen)	UN1956
GCS-CG90NI5HY5CD-XXX-PK500	Compressed Gases NOS (90%Nitrogen,5%Hydrogen,5%Co2)	UN1956
GCS-CG91AR4CD50X-XXX-PK500	Compressed Gases NOS (91% Argon, 4% Co2, 5% Oxygen)	UN1956
GCS-CG91AR5CD40X-XXX-PK500	Compressed Gases NOS (91% Argon, 5% Co2, 4% Oxygen)	UN1956
GCS-CG91NI4HY5CD-XXX-PK500	Compressed Gases NOS (91%Nitrogen,4%Hydrogen,5%Co2)	UN1956
GCS-CG92AR8CO2-XXX-PK500	Compressed Gases NOS (92% Argon, 8% Co2)	UN1956
GCS-CG92AR8OX-XXX-PK500	Compressed Gases NOS (92% Argon, 8% Oxygen)	UN1956
GCS-CG95AR5CO2-XXX-PK500	Compressed Gases NOS (95% Argon, 5% Co2)	UN1956
GCS-CG95AR5HE-XXX-PK500	Compressed Gases NOS (95% Argon,5% Helium)	UN1956
GCS-CG95AR5M-P5-XXX-PK500	Compressed Gases NOS (95% Argon, 5% Methane) P-5 Mixture	UN1956
GCS-CG95AR5OX-XXX-PK500	Compressed Gases NOS (95% Argon, 5% Oxygen)	UN1956
GCS-CG95HE5AR-XXX-PK500	Compressed Gases NOS (95% Helium,5% Argon)	UN1956
GCS-CG95NI5HY-XXX-PK500	Compressed Gases NOS (95% Nitrogen, 5% Hydrogen)	UN1956
GCS-CG96AR3CD10X-XXX-PK500	Compressed Gases NOS (96%Argon,3%Co2,1%Oxygen)	UN1956
GCS-CG97AR20X1CD-XXX-PK500	Compressed Gases NOS (97%Argon,2%Oxygen,1% Co2)	UN1956
GCS-CG97AR3CO2-XXX-PK500	Compressed Gases NOS (97% Argon,3% Co2)	UN1956
GCS-CG98AR2CO2-XXX-PK500	Compressed Gases NOS (98% Argon,2% Co2)	UN1956
GCS-CG98AR2HY-XXX-PK500	Compressed Gases NOS (98% Argon, 2% Hydrogen)	UN1956
GCS-CG98AR2OX-XXX-PK500	Compressed Gases NOS (98% Argon, 2% Oxygen)	UN1956
GCS-CG98NI2HY-XXX-PK500	Compressed Gases NOS (98% Nitrogen, 2% Hydrogen)	UN1956
GCS-CG99AR1HY-XXX-PK500	Compressed Gases NOS (99% Argon, 1% Hydrogen)	UN1956
GCS-CGGBEV75NI25CO2-XXX-PK500	Compress Gas Beverage Grade (75%Nitrogen,25% Co2)	UN1956
GCS-CGNOS2BL-XXX-PK500	Compressed Gases NOS (2 Blank Lines)	UN1956
GCS-CGNOS3BL-19.5-XXX-PK500	Compressed Gases NOS (3 Blank Lines) O2 LessThan 19.5%	UN1956
GCS-CGNOS3BL-RX-XXX-PK500	Compressed Gases NOS Rx Only (3 Blank Lines)	UN1956
GCS-CGNOS3BL-XXX-PK500	Compressed Gases NOS (3 Blank Lines)	UN1956
GCS-CGSM60CD40NI-XXX-PK500	Compressed Gas Stout Mix (60%Co2,40% Nitrogen)	UN1956
GCS-CGSM75NI25CO2-XXX-PK500	Compressed Gas Stout Mix (75% Nitrogen, 25% Co2)	UN1956
GCS-CGSMFG75NI25CO2-XXX-PK500	Compressed Gas Stout Mix Food Grade (75%Nitrogen,25% Co2)	UN1956
GCS-CN-ARCD-XXX-PK500	Compressed Gases NOS (Argon,Co2)	UN1956
GCS-CN-ARCDHE-XXX-PK500	Compressed Gases NOS (Argon,Co2,Helium)	UN1956
GCS-CN-ARCDOX-XXX-PK500	Compressed Gases NOS (Argon,Co2,Oxygen)	UN1956
GCS-CN-ARHE-XXX-PK500	Compressed Gases NOS (Argon,Helium)	UN1956
GCS-CN-ARHY-XXX-PK500	Compressed Gases NOS (Argon,Hydrogen)	UN1956
GCS-CN-ARNI-XXX-PK500	Compressed Gases NOS (Argon,Nitrogen)	UN1956
GCS-CN-AROX-XXX-PK500	Compressed Gases NOS (Argon,Oxygen)	UN1956
GCS-CN-HEAR-XXX-PK500	Compressed Gases NOS (Helium,Argon)	UN1956
GCS-CN-HEARCD-XXX-PK500	Compressed Gases NOS (Helium,Argon,Carbon Dioxide)	UN1956
GCS-CN-HENI-XXX-PK500	Compressed Gases NOS (Helium,Nitrogen)	UN1956
GCS-CN-NIAR-XXX-PK500	Compressed Gases NOS (Nitrogen,Argon)	UN1956
GCS-CN-NICD-XXX-PK500	Compressed Gases NOS (Nitrogen,Co2)	UN1956
GCS-CN-NICDHEAR-XXX-PK500	Compressed Gases NOS (Nitrogen,Co2,Helium,Argon)	UN1956
GCS-CN-NIHEAR-XXX-PK500	Compressed Gases NOS (Nitrogen,Helium,Argon)	UN1956
GCS-CN-NIHY-XXX-PK500	Compressed Gases NOS (Nitrogen,Hydrogen)	UN1956
GCS-CN-NIOX-XXX-PK500	Compressed Gases NOS (Nitrogen,Oxygen)	UN1956
GCS-CNST-ARCDOX-XXX-PK500	Compressed Gases NOS Stargon (Argon,Co2,Oxygen)	UN1956

Cylinder Label Accessories


Economy Bump Band



Part # LBE-300

Minimize Cylinder Paint & Label Wear

These are made to be used in UV Environment.



Part # LB-MEDE

Part # LB-D122

Part # LB-T330

Call for Complete Line of Dewar Label Buffers


Bump Band & Economy Bump Band

Part # for Pkg. of 100	Description	Part # for Pkg. of 10
LB-MEDEPK100	4" Diameter Cylinder	(Pt # LB-MEDEPK10)
LB-T330PK100	244-330 High Pressure	(Pt # LB-T330PK10)
LB-D122PK100	122-80 High Pressure	(Pt # LB-D122PK10)
LBE-300PK100	Economy Red Band	(Pt # LBE-300PK10)

Cylinder Paint and Accessories

Roller, Handle and Cover Set


Comes 12 to a Case
Part # RP-HROLLER



1 Gallon Paint
4 Gallons –
Each to a Case

Oxygen & Flammable Cylinder Shoulder Labels

Oxygen Custom Imprint Shoulder Roll Labels




Add your Company information here.

Custom Print
Oxygen, Compressed
Pt # GCS-OXYAB-XXX-PK500

Custom Print Part No.	Oxygen Shoulder Labels	UN No.
GCS-OXY-FG-XXX-PK500	Oxygen, Compressed, Food Grade	UN1072
GCS-OXY-XXX-PK500	Oxygen, Compressed	UN1072
GCS-OXYAB-XXX-PK500	Oxygen Compressed Aviators Breathing	UN1072
GCS-OXYEDG-XXX-PK500	Oxygen, Compressed (Extra Dry Grade)	UN1072
GCS-OXYUSP-XXX-PK500	Oxygen USP, Compressed	UN1072

Flammable Custom Imprint Shoulder Roll Labels



Add your Company information here.

Custom Print
Acetylene, Dissolved
Pt # GCS-ACT-D-XXX-PK500

Custom Print Part No.	Flammable Shoulder Labels	UN No.
GCS-ACT-D-XXX-PK500	Acetylene, Dissolved	UN1001
GCS-ACT-D-XXX-S-PK500	Acetylene, Dissolved - Small Size	UN1001
GCS-ANGAS-XXX-PK500	Flammable Anaerobic Gas Mixture	UN1954
GCS-CF-HYNI-XXX-PK500	Flammable Compressed Gases NOS (Hydrogen, Nitrogen)	UN1954
GCS-CGF-LPG.LHYC-XXX-PK500	Flammable Compressed Gases (LiqPetroleumGas,LiqHydrocarbons)	UN1954
GCS-CGF-NOS2BL-XXX-PK500	Flammable Compressed Gases NOS (2 blank Lines)	UN1954
GCS-CGF-NOS3BL-XXX-PK500	Flammable Compressed Gases NOS (3 blank Lines)	UN1954
GCS-CGF60HE40HY-XXX-PK500	Flammable Compressed Gases NOS (60% Helium, 40% Hydrogen)	UN1954
GCS-CGF65AR35HY-XXX-PK500	Flammable Compressed Gases NOS (65% Argon,35% Hydrogen)	UN1954
GCS-CGF75HY25NI-XXX-PK500	Flammable Compressed Gases NOS (75%Hydrogen,25%Nitrogen)	UN1954
GCS-CGF85AR15HY-XXX-PK500	Flammable Compressed Gases NOS (85% Argon,15% Hydrogen)	UN1954
GCS-CGF90AR10HY-XXX-PK500	Flammable Compressed Gases NOS (90% Argon,10% Hydrogen)	UN1954
GCS-CGF90NI10HY-XXX-PK500	Flammable Compressed Gases NOS (90%Nitrogen,10% Hydrogen)	UN1954
GCS-CGF92.5NI7.5HY-XXX-PK500	Flammable Compressed Gases NOS (92.5%Nitrogen,7.5% Hydrogen)	UN1954
GCS-CGF95AR5HY-XXX-PK500	Flammable Compressed Gases NOS (95% Argon, 5% Hydrogen)	UN1954
GCS-CGF96AR4HY-XXX-PK500	Flammable Compressed Gases NOS (96% Argon, 4% Hydrogen)	UN1954
GCS-CNF-HYAR-XXX-PK500	Flammable Compressed Gas (Hydrogen,Argon)	UN1954
GCS-CNF-HYNI-XXX-PK500	Flammable Compressed Gases (Hydrogen,Nitrogen)	UN1954
GCS-FLAM-HY.AR-XXX-PK500	Flammable Compressed Gases NOS (% Hydrogen % Argon)	UN1954

SAMPLE OF A ROLL OF LABELS



Easily remove shoulder label from roll

Vinyl Medical Cylinder Body Labels



OXYGEN, COMPRESSED USP UN1072

C.A.S. NO. 7782-44-7

YOUR LOGO HERE

1234 Street Name
Houston, TX 77007
1-800-000-1234
www.company.com

A DANGER: MAY CAUSE OR INTENSIFY FIRE. OXIDIZER. CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and outdoors or in a well-ventilated place. Open valves and close valves after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use. DO NOT REMOVE THIS PRODUCT LABEL.

B. WARNINGS: For emergency use only unless administered by properly trained personnel for oxygen delivery used resuscitation. For all other medical applications. Be wary. Uncontrolled use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not connect to or inlets with oxygen tubing unless used in conjunction with resuscitative equipment.

Produced by Air Liquelation.

Size	Contents	Size	Contents
<input type="checkbox"/> M6	170 Liters	<input type="checkbox"/> E	682 Liters
<input type="checkbox"/> C	248 Liters	<input type="checkbox"/> H	6910 Liters
<input type="checkbox"/> D	415 Liters	<input type="checkbox"/> Other	_____ Liters

4" x 6"
Part # GMBLC-OUSP-XXX-PK250

All weather vinyl with extra tacky adhesive.

Medical Cylinder Body Label

REFRIGERATED LIQUID

OXYGEN, REFRIGERATED LIQUID USP UN1073

C.A.S. NO. 7782-44-7

YOUR LOGO HERE

1234 Street Name
Houston, TX 77007
1-800-000-1234
www.company.com

1 ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. 1 DO NOT CHANGE OR FORCE FIT CONNECTIONS.

CONTENTS: O2

WARNING: USP For emergency use only unless administered to properly trained personnel for oxygen delivery and resuscitation. For all other medical applications. Be wary. Uncontrolled use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not connect to or inlets with oxygen tubing unless used in conjunction with resuscitative equipment.

DANGER: MAY CAUSE OR INTENSIFY FIRE. OXIDIZER. CONTAINS REFRIGERATED GAS. MAY CAUSE DYSBARIC BLINDNESS OR INJURY. COMBUSTIBLE CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. Do not handle until all safety precautions have been read and understood. Keep and store away from grease and oil. Use and store only outdoors or in a well-ventilated place. When used containing gases, use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and outdoors or in a well-ventilated place. Open valves and close valves after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use. CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

FIRST AID: IF ON SKIN: These frosted parts with lukewarm water. Do not rub affected area. Get immediate medical attention.

Part #
GMBLC-ROUSP-XXX-PK250



PLEASE CALL 800-264-7793 FOR MINIMUM ORDER QUANTITY.

Medical Cylinder Body Labels

Part #	CUSTOM IMPRINTED BODY LABELS
GMBLC-OUSP-XXX-PK250	Oxygen USP UN1072 Medical Body Label - Roll 250
GMBLC-ROUSP-XXX-PK250	Oxygen Refrigerated Liquid USP 1073 - Write-In: Contents

* Custom Imprint Orders subject to 15% over and under run. Pricing includes Department of Transportation Diamond color and black print. One time plate charge applies.

High Pressure Side Wall Label Imprints

Custom Imprint Side Labels...

Promote Your Brand.

These are Just a Few Samples of Our High Pressure Cylinder & Cryogenic Labels Available. Please visit www.rmiororder.com!


COMPRESSED GAS, N.O.S.
(81% HELIUM, 15.6% NITROGEN, 3.4% CARBON DIOXIDE)
UN1956

LASER GAS

LOT: _____ CYL: _____ EXP: _____

YOUR LOGO HERE
1234 Street Name
Houston, TX 77007
1-800-000-1234
www.company.com

DO NOT REMOVE THIS PRODUCT LABEL.
CAS: HELIUM 7440-59-7; NITROGEN 7727-37-9; CARBON DIOXIDE 124-38-9



High Pressure Side Labels
LASER GAS
6" x 4"
Pt # GMBLC-LG-XXX-PK250

COMPRESSED GAS, OXIDIZING, N.O.S.
(CARBON DIOXIDE, NITROGEN, OXYGEN)
UN3156


CLINICAL BLOOD GAS
CARBON DIOXIDE, USP NITROGEN, NF OXYGEN, USP

FOR CALIBRATION OF BLOOD GAS ANALYZERS IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS. NOT FOR DRUG USE. NOT FOR INHALATION. DANGER: MAY CAUSE OR INTENSIFY FIRE. OXIDIZER. CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. MAY INCREASE RESPIRATION AND HEART RATE. Do not handle until all safety precautions have been read and understood. Keep valves and fittings free from grease and oil. Avoid breathing gas. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Close valve after each use and when empty. Store and use at temperature above 40F (4.4 C). Return with at least 25 PSIG Pressure. Protect from sunlight when ambient temperature exceeds 52C (125F). Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL. CAS # CARBON DIOXIDE 124-38-9; NITROGEN 7727-37-9; OXYGEN 7782-44-7

WestAir
1-866-937-8247
2506 Market Street
San Diego, CA 92102
www.westairgases.com



High Pressure Side Labels
CLINICAL BLOOD GAS DOUBLE DIAMOND
6" x 4"
Pt # GMBLC-CBG-XXX-PK250

NITROUS OXIDE USP
UN1070

CU FT
LITERS

CONTENTS: _____

USP
RX Only.

WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosage, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

DANGER: MAY CAUSE OR INTENSIFY FIRE. OXIDIZER. CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. MAY CAUSE DROWSINESS OR DIZZINESS. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROSTBITE.



Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Avoid breathing gas. Do not get in eyes, on skin, or on clothing. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52C (125F). Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

IF ON SKIN: Wash frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 10024-97-2

DO NOT REMOVE THIS PRODUCT LABEL.

High Pressure Side Labels
NITROUS OXIDE, USP
5" x 8"
Pt # GMBLC-N2O USP-XXX-PK250

Order Form High Pressure Side Labels

Company Information

Company Name: **Required**

Address: **Required** – Street Number and Name, City, State and Zip Code* **

Phone: **Required**

Web Address: (optional)

Logo for Label

All logo label orders will be processed after sending a camera-ready proof to approve.

List PMS Color(s) Used

1 PMS Color # _____

2 PMS Color # _____

3 PMS Color # _____

Location of Logo



Send Us Your Art Work to: image@rmimfg.com

Format for Logo – Tiff Format Logo Colors – Pantone Colors

* Complete address is a requirement for Industrial and Specialty Gases (per CGA C-7-2014, Section 7.1 OSHA's Hazard Communication Standard).

**Medical Gases – The FDA requires City, State and Zip Code, but allows the street address to be omitted, as long as the company can be located in a city or telephone directory on medical gases. For medical gas labels, our customers have the option of including their full address or just the City, State and Zip Code and this decision is solely at their discretion. (Per FDA CFR Title 21, Sec. 201.1 (i))

COMPRESSED GASES, FLAMMABLE, N.O.S.
(NITROGEN, HYDROGEN, CARBON DIOXIDE)
UN1954


ANAEROBIC GAS MIXTURE
BIOLOGICAL ATMOSPHERE MIXTURE FOR CULTURE GROWTH. FOR LABORATORY USE ONLY NOT FOR DRUG USE. NOT FOR INHALATION.

DANGER: EXTREMELY FLAMMABLE GAS. CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY FORM EXPLOSIVE MIXTURES WITH AIR. BURNS WITH INVISIBLE FLAME. MIXTURES CONTAINING MORE THAN 5% CARBON DIOXIDE CAN INCREASE RESPIRATION AND HEART RATE. Do not handle until all safety precautions have been read and understood. Keep away from heat, open flames, sparks, hot surfaces – No smoking. Use and store only outdoors or in a well-ventilated place. Leaking gas fire: Do not extinguish, unless leak can be stopped safely. Eliminate all ignition sources if safe to do so. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Close valve after each use and when empty. Store and use at temperature above 40F (4.4 C). Return with at least 25 PSIG Pressure. Protect from sunlight when ambient temperature exceeds 52C (125F). Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL.
CAS: HYDROGEN 1333-74-0; NITROGEN 7727-37-9; CARBON DIOXIDE 124-38-9

WestAir
1-866-937-8247
2506 Market Street
San Diego, CA 92102
www.westairgases.com



High Pressure Side Labels
ANAEROBIC GAS MIXTURE
4" x 6"
Pt # GMBLC-AGM-XXX-PK250

OXYGEN, COMPRESSED USP
UN1072

C.A.S. NO. 7782-44-7

INDIANA OXYGEN COMPANY
6099 West Corporate Way
Indianapolis, IN 46278
317-290-0003

DANGER: MAY CAUSE OR INTENSIFY FIRE. OXIDIZER. CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Read valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52C (125F). Read and follow the Safety Data Sheet (SDS) before use. DO NOT REMOVE THIS PRODUCT LABEL.

WARNING: The emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Be wary. Inhalation of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

Size	Contents	Size	Contents
<input type="checkbox"/> M6	170 Liters	<input type="checkbox"/> E	682 Liters
<input type="checkbox"/> C	248 Liters	<input type="checkbox"/> H	6910 Liters
<input type="checkbox"/> D	415 Liters	<input type="checkbox"/> Other	_____ Liters




High Pressure Side Labels
OXYGEN COMPRESSED, USP
Pt # GMBLC-O USP-XXX-PK250

CUSTOM PRINT*** High Pressure Side Labels

Part #	Description
GMBLC-LG-XXX-PK250	Laser Gas / Mixture
GMBLC-AGM-XXX-PK250	Anaerobic Gas Mixture
GMBLC-CBG-XXX-PK250	Clinical Blood Gas – Double Diamond
GMBLC-CBLCM-XXX-PK250	Clinical Blood Gas – Calibration Mixture
GMBLC-CBL-CDNIO2-XXX-PK250	Clinical Blood Gas (CO ₂ , NI, O ₂)
GMBLC-N2O USP-XXX-PK250	Nitrous Oxide, USP
Side Wall High Pressure Shoulder Labels	
GMBLC-CGN2OSO2-XXX-PK250	ComGasOxidNOS (Nitrous Oxide,Sulfur Dioxide) Roll (250)
GMBLC-O USP-XXX-PK250	Cylinder Body Label Oxygen USP, Roll (250)

***One time plate charge



Propane Tank Labels

with Your Company Information Custom Print

at **RATERMANN**

Liquid Petroleum / Propane
Information Labels with NFPA Diamond



PROPANE

NFPA HAZARD RATING

HEALTH HAZARD

2

4-Severe
3-Serious
2-Moderate
1-Slight
0-Minimal

4

FIRE HAZARD

0

REACTIVITY

- Extremely flammable gas
- Heavier than Air
- Simple Asphyxiant
- Odorized to warn of its presence
- Contact with Liquid will cause Freezing of Tissue
- P.E.L. 1000 PPM
- Store container outside and keep cool (under 103°F.)
- Turn off container valve when not in use.

PERSONAL PROTECTION

reliably

RATERMANN

1-800-264-7793
601 Pinnacle Pl.,
Livermore, CA 94550

CONSULT CORRESPONDING SDS FOR FURTHER INFORMATION AND INSTRUCTIONS
AFFIX TO ALL PORTABLE CONTAINERS USED BY COMMERCIAL CUSTOMERS

Liquid Petroleum/Propane Information Label with NFPA Diamond

Part #	Description	Size
NBL-NFPA36-XXX-PROPANE-PK500	Liquid Petroleum/Propane information Label with NFPA Diamond	6" x 3"

Your Logo and Company Information Here

PETROLEUM GASES, LIQUIFIED

UN1075

FLAMMABLE GAS

2

(RQ12) 11821

DANGER: EXTREMELY FLAMMABLE GAS. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY FORM EXPLOSIVE MIXTURES WITH AIR. MAY CAUSE FROSTBITE. Do not handle until all safety precautions have been read and understood. Keep away from heat, open flames, sparks, hot surfaces.—No smoking. Use and store only outdoors or in a well-ventilated place. Leaking gas fire: Do not extinguish, unless leak can be stopped safely. Eliminate all ignition sources if safe to do so. Use a back flow preventive device in the piping. Do not open valve until connected to equipment prepared for use. Close valve after each use and when empty. Never put cylinders into unventilated areas of passenger vehicles. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. **IF ON SKIN:** Thaw frostbitten parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: Propane 74-98-6
Liquefied Petroleum Gas: 684-76-85-7

DO NOT REMOVE THIS PRODUCT LABEL.

WARNING! FLAMMABLE COMPRESSED GAS
Know the odor of LP-Gas
Leaks may cause fires and explosions.

WHEN YOU CONNECT THE CYLINDER

Cylinder Valve Pressure Relief Valve

Regulator Nut or Connection Regulator Vent Cylinder Liquid Level Indicator (Optional)

DO NOT ATTEMPT REPAIRS. CALL YOUR LP-GAS DEALER

THIS LP TANK IS EQUIPPED WITH A SAFETY RELIEF VALVE. DO NOT PLACE INSIDE ANY ENCLOSED OR HEATED AREA.

WHEN CONNECTING FOR USE:

- Use only in compliance with applicable codes.
- Read and follow appliance manufacturers instructions.
- If regulator has a coupling nut, the nut has left hand threads and must be tightened. If regulator has a plug in connection, pull ring back; insert fully and release ring. Be sure regulator vent is pointed down.
- Turn off all valves on the appliance.
- Do not check for gas leaks with a match or open flame. To check for leaks open the cylinder valve and apply soapy water at areas marked X. If bubbles appear, close valve and have LP-gas service person make needed repairs. Also, check pressure relief valves for leakage before lighting appliance.
- Light appliance(s) following manufacturers instructions.
- When appliance is not in use, keep cylinder valve closed.

ADDITIONAL WARNING TO USER:

- Know the odor of LP-gas. Under certain circumstances you may not be able to smell the odorant. If you hear or smell leaking LP-gas shut off cylinder valve. If leaking continues, immediately get everyone away from the cylinder and call the fire department.
- LP-gas is heavier than air and will settle in low places while dissipating.
- Contact with the liquid contents of this cylinder will cause freeze burns to the skin.
- Do not allow children to tamper or play with this cylinder.
- When not connected for use, keep cylinder valve turned off and for 45 lb. propane capacity or less, plug or cap the valve outlet.
- Do not use, store or transport cylinder where it would be exposed to high temperatures. Relief valve may open allowing LP-gas to escape.
- When transporting, keep cylinder in an upright position with cylinder valve turned off, and plugged and capped, if so equipped.

PROPANE

NFPA HAZARD RATING

◆ FIRE HAZARD

◆ HEALTH HAZARD

◆ REACTIVITY

4-Severe
3-Serious
2-Moderate

4

◆ Extremely flammable gas

◆ Heavier than Air

◆ Simple Asphyxiant

◆ Odorized to warn of its presence

◆ Contact with Liquid will cause Freezing of Tissue

◆ P.E.L. 1000 PPM

◆ Store container outside and keep cool (under 130°F.)

◆ Turn off container valve when not in use.

0

1-Slight
0-Minimal

PERSONAL PROTECTION

CONSULT CORRESPONDING MSDS FOR FURTHER INFORMATION AND INSTRUCTIONS
AFFIX TO ALL PORTABLE CONTAINERS USED BY COMMERCIAL CUSTOMERS

reliably

RATERMANN

www.rmimfg.com
1-800-264-7793
601 Pinnacle Pl., Livermore, CA 94550

Your Logo and Company Information Here

Liquid Petroleum/Propane Information Label with NFPA Diamond

Part #	Description	Size
GMBLKC-PETGSPRO1075-XXX-PK250	Liquid Petroleum/Propane information Label with NFPA Diamond	8.375" x 3.75"


All Labels are GHS Compliant For Custom Imprint Labels...to Promote Your Brand



Add your Custom Imprint information here.




Propane
Pt # GCS-PROPANE1075-XXX-PK500




Propane
Pt # GCS-PROPANE1978-XXX-PK500

High Pressure & Dewar Cylinder Labels

Add On Labels with Your Information Custom Printed



2" x 1" Label
Pt # SAO-2X1-CUFT-PK250



3 1/2" x 1.5" Requalification Date Label
Pt # NBLF-LN-V100530-XXX-PK500

TEMPERATURE SENSITIVE!

Keep above

o

6" x 4" Temperature Sensitive Label
Pt # GMBLIC-TEMSENSKA-OR-XXX-PK250

SAFETY LEAKING

1.5" x 1.25" Label
Pt # SAO-12515-SAFLEK-PK250

REVALVE

1.5" x 1.25" Label
Pt # SAO-12515-REVALVE-PK250

For additional Add On Labels with Your Custom Print call 1.800.264.7793



NEW

at

RATERMANN

STOCK LABELS



Cryogenic Bulk Tank

FOR BULK TANK USE

➤ **Call for All Your Labeling Needs!**

Call TODAY
1.800.264.7793

Gas Type Bulk Tank Labels

LIQUID ARGON

LIQUID NITROGEN

LIQUID OXYGEN, USP


Gas Type Bulk Tank Labels

Part #	Gas Type	Size	Pack
BTL-LAR-PK25	Liquid Argon	3.5" x 24"	Pack of 25
BTL-LCD-PK25	Liquid Carbon Dioxide	3.5" x 24"	Pack of 25
BTL-LNI-PK25	Liquid Nitrogen	3.5" x 24"	Pack of 25
BTL-LOX-PK25	Liquid Oxygen	3.5" x 24"	Pack of 25
BTL-LOXUSP-PK25	Liquid Oxygen USP	3.5" x 24"	Pack of 25

Bulk Tank Body Labels

CARBON DIOXIDE, REFRIGERATED LIQUID
UN2107

WARNING!
CONTAINS REFRIGERATED GAS.
MAY CAUSE OXYGEN DEPLETION OR INJURY.
MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.
MAY INCREASE RESPIRATION AND HEART RATE.



Do not handle until all safety precautions have been read and understood.
Install only outdoors or in a well-ventilated place.
Wear eye protection, gloves, face shield, and ear protection.
Use only the appropriate device in the piping, and use the Safety Data Sheet (SDS) before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical attention.


CAS: 124-38-9

DO NOT REMOVE THIS LABEL

reliably **RATERMANN** www.rmimfg.com
1-800-264-7793
601 Pinnacle Pl., Livermore, CA 94550

OXYGEN, REFRIGERATED LIQUID
UN1073

DANGER!
MAY CAUSE OR INCREASE FIRE, OXIDATION, CORROSION REFRIGERATED GAS.
MAY CAUSE OXYGEN DEPLETION OR INJURY.
CONTENTS WILL CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON HEAT OR ON IMPACT.



Do not handle until all safety precautions have been read and understood.
Keep and store away from flammable and other combustible materials.
Keep valves and fittings free from grease and oil. Avoid any contact or in a well-ventilated place. Wear eye protection, face shield, ear and ear protection. In case of fire: Use liquid to cool the tank. Use only with equipment of compatible materials or constructed and rated for storage vessel pressure. Use only with equipment tested for oxygen service. Read and follow Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical attention.
CAS: 7782-44-7


DO NOT REMOVE THIS LABEL

reliably **RATERMANN** www.rmimfg.com
1-800-264-7793
601 Pinnacle Place, Livermore, CA 94550

Your Logo and Company Information Here

Micro Bulk Tank Body Labels "MBG"

Part #	Gas Type	Size	Pack
MBG-AR-XXX-PK25	Argon	12.5" x 14.5"	Pack of 25
MBG-CD-XXX-PK25	Carbon Dioxide	12.5" x 14.5"	Pack of 25
MBG-NI-XXX-PK25	Nitrogen	12.5" x 14.5"	Pack of 25
MBG-OX-XXX-PK25	Oxygen	12.5" x 14.5"	Pack of 25



Pre-Printed Bulk Tank NFPA Diamonds

Pre-Printed NFPA Diamonds – Bulk Tanks

Part #	Gas Type	Size
PLK-NFPA-R-12.5-3.0.0.SA	Liquid Argon / Carbon Dioxide / Nitrogen	12.5" x 12.5"
PLK-NFPA-R-12.5-3.0.0.OX	Liquid Oxygen	12.5" x 12.5"



DOT 4L Cylinder Maintenance

Branch _____ Date _____

Customer _____

Valve

- Vent Liquid Gas use PBuild
- Damaged Threads
- Bent Stem
- Missing /Broken Hand wheel
- Will not turn
- Leaking
- Wrong CGA/Missing CGA
- Tamper Evident Devices

Contents

- Pressure Gauge
- Level Gauge Damage

Pressure

- Will not build pressure
- Excessive pressure and venting
- Frost all over (bad vacuum)

- PRD wrong /needs replacing
- Footring /Halo damage
- Dents in the side (possible internal damage)
- Decals /labeling/ 360 wrap
- Plumbing damage (external)
- Loud pop when relieving

Instructions: _____

Part #	Description	Size
CBLRL-CYLMTNCE-PK250	Maintenance Label	3.75" x 8.375"

Dewar Cylinder Tank Maintenance Label

3.75" x 8.375"

Stock Labels for Dewar Tank Use



for **YOUR**
WELDING
&
MAINTENANCE
NEEDS

Custom Size Labels

Here are a few custom sizes available.

2" x 1"

3" x 4"

1" x 1"

Installed & Serviced By:



Employee Owned

www.tollgas.com

SALES
763-551-5300

SERVICE & RENTAL
763-551-5316

PLYMOUTH

Call

1.800.264.7793

for additional
 information and sizes!

Sample of a
 Custom 6x4
 Welding
 Supply dewar
 tank label.

Cryotherapy Imprinted 360 Tape



CRYO SAUNA CRYO
CRYO THERAPY CRYO

Both Sizes of the Cryotherapy Tape can
 be Custom Imprinted!! Call for details.

Call For More Cryotherapy Products

360 Tape for Cryotherapy

Part #	Description	Size
DG30-CRYOTHERAPY	"Cryo Therapy" imprinted 360 tape	3" - 250 ft.
DG30-CRYOSAUNA	"Cryo Sauna" imprinted 360 tape	3" - 250 ft.
DG30-CRYOTHERAPY-50	Optional 50 ft. length "Cryo Therapy" imprinted 360 tape	3" - 50 ft.
DG30-CRYOSAUNA-50	Optional 50 ft. length "Cryo Sauna" imprinted 360 tape	3" - 50 ft.

GHS Compliant DOT-4L Dewar Body Labels

Custom Imprint Laminated Dewar Body Labels




Ship to you with your company information – Company, Street Address, City, State, Zip Code and Phone Number.

Dewar Body Labels with Custom Imprinted Laminate Label
14" x 11"

Available in Pk of 10, 25 or 100

Meets Industrial Requirements



Oxygen USP Dewar Body Label
14" x 11"
Pt # DBG-USP-CIL-PK100

Custom Imprint Your Company Information here.
Text print only.

Dewar Body Laminated Labels

Part No.	Check Labels Used	Exp. Used Annually	Next Need By Date	Packs Needed
DBG-A-CIL-PK10	<input type="checkbox"/>	_____	_____	_____
DBG-A-CIL-PK25	<input type="checkbox"/>	_____	_____	_____
DBG-A-CIL-PK100	<input type="checkbox"/>	_____	_____	_____
DBG-CO2-CIL-PK10	<input type="checkbox"/>	_____	_____	_____
DBG-CO2-CIL-PK25	<input type="checkbox"/>	_____	_____	_____
DBG-CO2-CIL-PK100	<input type="checkbox"/>	_____	_____	_____
DBG-H-CIL-PK10	<input type="checkbox"/>	_____	_____	_____
DBG-H-CIL-PK25	<input type="checkbox"/>	_____	_____	_____
DBG-H-CIL-PK100	<input type="checkbox"/>	_____	_____	_____
DBG-N-CIL-PK10	<input type="checkbox"/>	_____	_____	_____
DBG-N-CIL-PK25	<input type="checkbox"/>	_____	_____	_____
DBG-N-CIL-PK100	<input type="checkbox"/>	_____	_____	_____
DBG-NNF-CIL-PK10	<input type="checkbox"/>	_____	_____	_____
DBG-NNF-CIL-PK25	<input type="checkbox"/>	_____	_____	_____
DBG-NNF-CIL-PK100	<input type="checkbox"/>	_____	_____	_____
DBG-NO-CIL-PK10	<input type="checkbox"/>	_____	_____	_____
DBG-NO-CIL-PK25	<input type="checkbox"/>	_____	_____	_____
DBG-NO-CIL-PK100	<input type="checkbox"/>	_____	_____	_____
DBG-NOUSP-CIL-PK10	<input type="checkbox"/>	_____	_____	_____
DBG-NOUSP-CIL-PK25	<input type="checkbox"/>	_____	_____	_____
DBG-NOUSP-CIL-PK100	<input type="checkbox"/>	_____	_____	_____
DBG-O-CIL-PK10	<input type="checkbox"/>	_____	_____	_____
DBG-O-CIL-PK25	<input type="checkbox"/>	_____	_____	_____
DBG-O-CIL-PK100	<input type="checkbox"/>	_____	_____	_____
DBG-USP-CIL-PK10	<input type="checkbox"/>	_____	_____	_____
DBG-USP-CIL-PK25	<input type="checkbox"/>	_____	_____	_____
DBG-USP-CIL-PK100	<input type="checkbox"/>	_____	_____	_____

Rev: 7/3/17, N: 11/19/15

GHS Compliant DOT-4L Dewar Body Labels

Promote Your Brand - Add Your Company Logo* Custom Imprint Dewar Body Labels



YOUR CUSTOM LOGO OR COMPANY NAME HERE
1234 STREET NAME, HOUSTON, TX 77007
1-800-000-1234 • www.company.com

GAS AND SUPPLY
111 BURAS DRIVE • BELLE CHASSE, LA 70037
504-392-2400

Custom Imprint Dewar Body Label Samples

GHS Compliant DOT-4L Body Labels - Industrial 14" x 11" Dewar Body Labels

Pt # DBG-A

Pt # DBG-CO2

Pt # DBG-H

Medical 14" x 11" Dewar Body Labels

Pt # DBG-NNF

Pt # DBG-N

Pt # DBG-NO

Pt # DBG-O

Pt # DBG-USP

Dewar Body Laminated Labels

- Custom Labeled Dewar Body Label - Argon, Pack 250
- Custom Labeled Dewar Body Label - CO2, Pack 250
- Custom Labeled Dewar Body Label - Helium, Pack 250
- Custom Labeled Dewar Body Label - Nitrogen, Pack 250
- Custom Labeled Dewar Body Label - Nitrogen NF, Pack 250
- Custom Labeled Dewar Body Label - Nitrous Oxide, Pack 250
- Custom Labeled Dewar Body Label - Nitrous Oxide, USP, Pack 250
- Custom Labeled Dewar Body Label - Oxygen, Pack 250
- Custom Labeled Dewar Body Label - Oxygen, USP, Pack 250

Part No.

- DBG-A-XXX-PK250
- DBG-CO2-XXX-PK250
- DBG-H-XXX-PK250
- DBG-N-XXX-PK250
- DBG-NNF-XXX-PK250
- DBG-NO-XXX-PK250
- DBG-NOUSP-XXX-PK250
- DBG-O-XXX-PK250
- DBG-USP-XXX-PK250

Check Labels Used

-
-
-
-
-
-
-
-
-

Exp. Used Annually

- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____

Next Need By Date

- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____

Packs Needed

- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____
- _____

Refrigerated Liquid Shoulder and Side Wall Label Imprints


REFRIGERATED LIQUID SHOULDER LABELS



Custom Imprint Refrigerated Liquid Shoulder Label Sample



SIDE WALL LABELS – REFRIGERATED LIQUID



Side Wall – Refrigerated Liquid 3" x 8" Pt # GMBL-RLOXY-XXX-PK250



Liquid and High Pressure Side Wall Labels

GRLC – Refrigerated Liquid Shoulder Labels

- Custom Print Refrigerated Liquid, Argon, Roll (250)
- Custom Print Refrigerated Liquid, Carbon Dioxide, Roll (250)
- Custom Print Refrigerated Liquid, Carbon Dioxide USP, Roll (250)
- Custom Print Refrigerated Liquid, Helium, Roll (250)
- Custom Print Refrigerated Liquid, Nitrogen Rx ONLY, Roll (250)
- Custom Print Refrigerated Liquid, Nitrogen, Roll (250)
- Custom Print Refrigerated Liquid, Oxygen, Roll (250)
- Custom Print Refrigerated Liquid, Oxygen USP, Roll (250)

Side Wall Labels – Refrigerated Liquid

- Custom Imprint Refrigerated Liquid, Argon, Roll (250)
- Custom Imprint Refrigerated Liquid, Carbon Dioxide, Roll (250)
- Custom Imprint Refrigerated Liquid, Nitrogen Rx ONLY, Roll (250)
- Custom Imprint Refrigerated Liquid, Nitrogen, Roll (250)
- Custom Imprint Refrigerated Liquid, Oxygen, Roll (250)
- Custom Imprint Refrigerated Liquid, Oxygen USP, Roll (250)

UN No.	Part No.	Check Labels Used	Exp. Used Annually	Next Need By Date	Rolls Needed
UN1951	GRLC-AR-XXX-PK250	<input type="checkbox"/>	_____	_____	_____
UN2187	GRLC-CD-XXX-PK250	<input type="checkbox"/>	_____	_____	_____
UN2187	GRLC-CDUSP-XXX-PK250	<input type="checkbox"/>	_____	_____	_____
UN1963	GRLC-H-XXX-PK250	<input type="checkbox"/>	_____	_____	_____
UN1977	GRLC-N-RX-XXX-PK250	<input type="checkbox"/>	_____	_____	_____
UN1977	GRLC-N-XXX-PK250	<input type="checkbox"/>	_____	_____	_____
UN1073	GRLC-OXY-XXX-PK250	<input type="checkbox"/>	_____	_____	_____
UN1073	GRLC-OUSP-XXX-PK250	<input type="checkbox"/>	_____	_____	_____
UN1951	GMBL-RLARG-XXX-PK250	<input type="checkbox"/>	_____	_____	_____
UN2187	GMBL-RLCD-XXX-PK250	<input type="checkbox"/>	_____	_____	_____
UN1977	GMBL-RLN-RX-XXX-PK250	<input type="checkbox"/>	_____	_____	_____
UN1977	GMBL-RLN-XXX-PK250	<input type="checkbox"/>	_____	_____	_____
UN1073	GMBL-RLOXY-XXX-PK250	<input type="checkbox"/>	_____	_____	_____
UN1073	GMBL-RLOUSP-XXX-PK250	<input type="checkbox"/>	_____	_____	_____



Your Industrial Cryogenic DOT-4L 360° Tape per Recommendation of CGA C-7 2014, Appendix F

All of our tape at Ratermann Manufacturing meets the requirements for Industrial gases. You can find the tape options using our part numbers listed below. Our labels and tape are stocked and ready to ship to you. We have everything done early for you so that your company can have a smooth transition.



Call us today to talk to your expert & place your order at (800) 264-7793. Visit our website at www.RMIORDER.com.



Industrial 3" Dewar 360° Gas Tape – Preprinted

Part #	Description	Roll Length
DG-TC	3" Carbon Dioxide Dewar 360° Gas Tape	250' Roll
DG-TO	3" Oxygen Dewar 360° Gas Tape	250' Roll
DG-TN	3" Nitrogen Dewar 360° Gas Tape	250' Roll
DG-TA	3" Argon Dewar 360° Gas Tape	250' Roll
DG-TH	3" Helium Dewar 360° Gas Tape	250' Roll


360° Tape Designed to Identify the Gas Type and Promote Your Brand.

Quickly See Tank that Belongs to *Your Company!*



Restraints for Industrial Gas & Liquid Cylinder Fittings

Per **SB-26-2014**, on Industrial DOT-4L/TC-4LM liquid cylinders, the outlet connection of an industrial liquid cylinder valve shall be a threaded connection with a device that deters removal of the fitting and provides indication that removal was attempted or accomplished.



COMPLETE BOTTLE 3-VALVE (CGA 540, 440, 326, 320)

RETROFIT KIT for OXYGEN, CO² (CGA 320) & NITROUS OXIDE (CGA 326) (liquid, gas, & vent valve)

Part Number	Description
CGP-23PK1	Package contains one kit
CGP-23PK5	Package contains five kits

COMPLETE BOTTLE 3-VALVE RETROFIT KIT for INERT GAS – NITROGEN & ARGON (liquid, gas, & vent valve)

Part Number	Description
CGP-13PK1	Package contains one kit
CGP-13PK5	Package contains five kits

Order Custom Imprint 360° Tape

Company Name

Logo for Label

All logo label orders will be processed after sending a camera-ready proof to approve.

List PMS Color(s) Used

1 PMS Color # _____

2 PMS Color # _____

3 PMS Color # _____

Send Us Your Art Work to: image@rmimfg.com

Format for Logo – Tiff Format Logo Colors – Pantone Colors



Build Your Brand with Industrial Labeling

Your Industrial Cryogenic DOT-4L **360° Tape** per Recommendation of CGA C-7 2014, Appendix F

360° Tape Designed to Identify the Gas Type and **Promote Your Brand.**



Quickly See Tank that Belongs to Your Company!

Samples of Your Logo Here



CUSTOM PRINT* – Industrial 3" Dewar 360° Gas Tape

Part #	Description	Roll Length
DGC-TA-XXXX	Argon	250' Roll
DGC-TC-XXXX	Carbon Dioxide	250' Roll
DGC-TH-XXXX	Helium	250' Roll
DGC-TN-XXXX	Nitrogen	250' Roll
DGC-TO-XXXX	Oxygen	250' Roll

Requirement of SB-26 Medical 3 1/2" Dewar 360° Gas Tape

Part #	Description	Roll Length
DGC-MEDCO2-XXXX	Medical Carbon Dioxide	250' Roll
DGC-MEDN-XXXX	Medical Nitrogen	250' Roll
DGC-MEDO-XXXX	Medical Oxygen	250' Roll

* One time plate charge

Preprinted French Medical 3 1/2" & Industrial 3" Dewar 360° Gas Tape

Part #	Description	Roll Length
F-DG-NNF	French – 360° Tape Nitrogen NF	
F-DG-NOUSP	French – 360° Tape Nitrous Oxide USP	
F-DG-OUSP	French – 360° Tape Medical O2	
F-DG-TCUSP	French – 360° Tape Carbon Dioxide USP	

Medical and Gas Tape also available in Spanish, please call for part number.

MEDICAL DOT-4L LABELS for GHS and CGA SB-26 Requirements



3 1/2" Medical Oxygen Dewar 360° Gas Tape
Pt # DG-MEDO

Requirement of SB-26 Medical 3 1/2" Dewar 360° Gas Tape – Preprinted

Part #	Description	Roll Length
DG-MEDO	3 1/2" Oxygen Dewar 360° Gas Tape	250' Roll
DG-MEDN	3 1/2" Nitrogen Dewar 360° Gas Tape	250' Roll
DG-MEDNO	3 1/2" Nitrous Oxide Dewar 360° Gas Tape	250' Roll



Cryotherapy Imprinted 360 Tape



Both Sizes of the Cryotherapy Tape can be Custom Imprinted!! Call for details.

Call for More Information on our Cryotherapy Products

CRYO SAUNA CRYO THERAPY

Imprinted 360 Tape for Cryotherapy

Part #	Description	Size
DG30-CRYOTHERAPY	"Cryo Therapy" imprinted 360 tape	3" – 250 ft.
DG30-CRYOSAUNA	"Cryo Sauna" imprinted 360 tape	3" – 250 ft.
DG30-CRYOTHERAPY-50	Optional 50 ft. length "Cryo Therapy"	3" – 50 ft.
DG30-CRYOSAUNA-50	Optional 50 ft. length "Cryo Sauna"	3" – 50 ft.

Place Your Label Order Now.

Contact us **1-800-264-7793**

or email **sales@rmimfg.com**

with any questions and to discuss
your GHS labeling requirements.

